

Package ‘DateTimeRangePicker’

September 3, 2023

Title A Datetime Range Picker Widget for Usage in 'Shiny' Applications

Version 1.1.0

Description Provides a datetime range picker widget for usage in 'Shiny'.
It creates a calendar allowing to select a start date and an end date
as well as two fields allowing to select a start time and an end time.

License GPL-3

URL <https://github.com/stla/DateTimeRangePicker>

BugReports <https://github.com/stla/DateTimeRangePicker/issues>

Imports htmltools, lubridate, reactR, shiny

Encoding UTF-8

RoxygenNote 7.2.3

NeedsCompilation no

Author Stéphane Laurent [aut, cre],
Wojciech Maj [cph] (author of the 'React-DateTimeRange-Picker' library)

Maintainer Stéphane Laurent <laurent_step@outlook.fr>

Repository CRAN

Date/Publication 2023-09-03 06:10:09 UTC

R topics documented:

DateTimeRangePickerInput	2
updateDateTimeRangePickerInput	3

Index	4
--------------	----------

DateTimeRangePickerInput

Datetime range picker

Description

A datetime range picker widget for a Shiny UI.

Usage

```
DateTimeRangePickerInput(inputId, from = NULL, to = NULL, style = NULL)
```

Arguments

<code>inputId</code>	the input slot that will be used to access the values
<code>from, to</code>	initial values, either POSIXct objects, or objects coercible to POSIXct objects; if NULL, then <code>from</code> is set to the current time and <code>to</code> is set to the next day at the same time
<code>style</code>	inline CSS for the container

Value

An input element that can be included in a Shiny UI definition. This is a `shiny.tag.list` object.

Examples

```
library(DateTimeRangePicker)
library(shiny)

ui <- fluidPage(
  br(),
  sidebarLayout(
    sidebarPanel(
      width = 5,
      tags$fieldset(
        tags$legend("Click to change time"),
        DateTimeRangePickerInput(
          "dtrpicker",
          style = paste0(
            "background-color: chartreuse; ",
            "box-shadow: 0 30px 40px 0 rgba(16, 36, 94, 0.2);"
          )
        )
      )
    ),
    mainPanel(
      width = 7,
      verbatimTextOutput("dtrpicker")
    )
  )
)
```

```
    )
  )
)

server <- function(input, output){
  output[["dtrpicker"]] <- renderPrint({
    input[["dtrpicker"]]
  })
}

if(interactive()){
  shinyApp(ui, server)
}
```

`updateDateTimeRangePickerInput`

Update a datetime range picker input

Description

Change the values of a datetime range picker input.

Usage

```
updateDateTimeRangePickerInput(session, inputId, from, to)
```

Arguments

<code>session</code>	the Shiny session object
<code>inputId</code>	the id of the datetime range picker widget to be updated
<code>from, to</code>	new values for the datetime range picker widget

Value

No returned value, called for side effect.

Index

`DateTimeRangePickerInput`, [2](#)

`updateDateTimeRangePickerInput`, [3](#)