

Package ‘DecomposeR’

January 20, 2025

Type Package

Title Empirical Mode Decomposition for Cyclostratigraphy

Version 1.0.6

Author Sebastien Wouters [aut, cre]

Maintainer Sebastien Wouters <wouterseb@gmail.com>

Description Tools to apply Ensemble Empirical Mode

Decomposition (EEMD) for cyclostratigraphy purposes. Mainly: a new algorithm, extricate, that performs EEMD in seconds, a linear interpolation algorithm using the greatest rational common divisor of depth or time, different algorithms to compute instantaneous amplitude, frequency and ratios of frequencies, and functions to verify and visualise the outputs.

The functions were developed during the CRASH project (Checking the Reproducibility of Astrochronology in the Hauterivian). When using for publication please cite Wouters, S., Crucifix, M., Sinnesael, M., Da Silva, A.C., Zeeden, C., Zivanovic, M., Boulvain, F., Devleeschouwer, X., 2022, ``A decomposition approach to cyclostratigraphic signal processing". Earth-Science Reviews 225 (103894).

<doi:10.1016/j.earscirev.2021.103894>.

License GPL-3

Depends R (>= 4.0.0)

Encoding UTF-8

LazyData TRUE

RoxygenNote 7.2.3

Imports graphics, stats, utils, usethis, tictoc, Stratigrapher (>= 1.1.1), grid, hexbin, colorRamps, dplyr (>= 1.0.0)

Suggests EMD, Rssa, astrochron, tidyverse

NeedsCompilation no

Repository CRAN

Date/Publication 2023-02-02 15:50:04 UTC

Contents

approx.cor	3
as.emd	4
as.pulse	6
check.emd	7
condense	8
DecomposeR	9
DecomposeR.Datasets	10
dq.algorithm	11
extremist	12
extricate	13
gzc	16
gzc.algorithm	18
gzc.departure	19
HilbertEnvelope	21
HilbertTransform	22
inst.pulse	23
inst.ratio	25
InstantaneousFrequency	27
integrity	28
is.ratio	29
is.simp.emd	30
mode.in	30
n.extrema	32
normalise	33
oscillate	35
parsimony	36
pile.down	38
pile.up	39
plot_emd	41
plot_hex	43
plot_hist	47
plot_imf	49
plot_pulse	51
plot_ratio	52
PrecisionTester	54
ratios	57
repl.out	57
respace	58
simp.emd	60
simple.ssa	61
symmetry	62

Index

64

Description

Allows to correlate time-series having different sampling rate, if they have a comparable depth or time scale

Usage

```
approx.cor(xy1, dt1, xy2, dt2, plot = T, output = T, type = "p", ...)
```

Arguments

xy1	intensity values for the first data set
dt1	depth or time scale for the first data set
xy2	intensity values for the second data set
dt2	depth or time scale for the second data set
plot	whether to plot
output	whether to output
type	type of points in the plot (see help page of lines() for details)
...	additional parameters to feed to the lines() function

Value

a list of correlation (`$cor`), slope (`$slope`), intercept (`$intercept`) (two values for each: interpolation to fit `dt1` and `dt2` respectively), and of the `xy1` and `xy2` values, interpolated for `dt1` (`$df1`) and `df2` (`$df2`)

Examples

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy.pure <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2)

xy <- xy.pure + rnorm(n, sd = 0.5)

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt.pure <- cumsum(inter_dt)
```

```
keep <- runif(length(dt.pure)) < 0.5

xy <- xy[keep]
dt <- dt.pure[keep] + rnorm(sum(keep), -0.2, 0.2)

par(mfrow = c(1,2))

plot(xy, dt, type = "o", pch = 19)

plot(xy.pure, dt.pure, type = "o", pch = 19)

par(mfrow = c(1,1))

out <- approx.cor(xy, dt, xy.pure, dt.pure)

out$cor
out$slope
out$intercept
```

as.emd

Create / Check emd objects

Description

Allows to convert the result of a decomposition into a standard list. The warnings of the `is.emd` checking function allow to identify the problems.

Usage

```
as.emd(  
  xy,  
  dt,  
  imf,  
  residue = NULL,  
  ini = NULL,  
  mode = NULL,  
  repl = 1,  
  order = NA  
)  
  
is.emd(emd)
```

Arguments

<code>xy</code>	a vector of length <code>n</code> for the original signal at each <code>dt</code>
<code>dt</code>	a vector of length <code>n</code> for the depth or time reference

imf	a data.frame or matrix of n rows of the IMFs
residue	a vector of length n for the residue of the decomposition
ini	an optional vector of length n of the eventual initial Intrinsic Mode Function xy would be a demodulation of, if it is a demodulation.
mode	the mode sequence index to give to each replicated IMFs
repl	the id of each replicates. The length of unique(repl) defines the amount of replicates.
order	the order of the imf, typically from higher frequency to lower frequency
emd	an emd object to check

Value

a list made of \$xy (original signal), \$dt (depth/time), \$m (a matrix of the decomposition), \$repl (the replicate id of each point) and \$mode (the mode id of each point).

Examples

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

s30 <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1)
s240 <- 2 * sin(t*2*pi/p2)
sn <- rnorm(n, sd = 0.5)

xy <- s30 + s240 + sn

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)

dec <- as.emd(xy = xy, dt = dt, imf = matrix(c(sn, s30, s240), ncol = 3))

plot_emd(dec, pdf = FALSE)

is.emd(dec)

## Not run:
dec$xy <- 1
is.emd(dec)
## End(Not run)
```

as.pulse

Create / Check pulse objects

Description

Allows to convert instantaneous frequency determination results into a single 'pulse' object. This is the format generated by inst.pulse (and gzc if output = 2)

Usage

```
as.pulse(
  dt,
  f,
  a = NULL,
  m = NULL,
  idt = NULL,
  mode = NULL,
  repl = 1,
  order = NA
)

is.pulse(pulse)
```

Arguments

dt	a vector of length n for the depth or time reference
f	a data.frame or matrix of n rows of the instantaneous frequencies
a	a data.frame or matrix of n rows of the instantaneous amplitudes
m	a data.frame or matrix of n rows of the components from which the frequencies and amplitudes were computed from
idt	data.frame or matrix of n rows of identity tuning: new dt coordinates to remove the frequency modulation
mode	the mode sequence index to give to each replicated IMFs
repl	a vector for the number of replicates or a matrix, indicating in which replicate set each point is
order	the order of the imf, typically from higher frequency to lower frequency
pulse	a pulse object to check

Value

a list made of \$dt (depth/time), \$f (instantaneous frequency), \$a (instantaneous amplitude) if a is provided, \$repl (the replicate id of each point) and \$mode (the mode id of each point).

Examples

```
set.seed(42)

n <- 600
dt <- seq_len(n)

p1 <- 30
p2 <- 240

s30 <- (1 + 0.6 * sin(dt*2*pi/p2)) * sin(dt*2*pi/p1)
s240 <- 2 * sin(dt*2*pi/p2)

xy <- s30 + s240

dec <- as.emd(xy = xy, dt = dt, imf = matrix(c(s30, s240), ncol = 2))

plot_emd(dec, pdf = FALSE, style = 1)

pulse <- inst.pulse(dec, last = TRUE, breaks = 200, bins = 40, cut = 10)

is.pulse(pulse)

simp.pulse <- as.pulse(pulse$dt, pulse$f)

str(simp.pulse)
```

check.emd

Check an EMD object

Description

Provides an ensemble of check on the quality of a decomposition presented as an emd object (see [as.emd](#) for more information)

Usage

```
check.emd(emd, xy = NULL, timelimit = 15)
```

Arguments

emd	an amd object to test
xy	the original signal that was decomposed: this parameter is simply to insure that you are indeed comparing the decomposition to the original signal, and not cheating by providing the sum of your decomposition
timelimit	a time limit for the computation of the greatest common rational divisor. A too long time may be indicative of a problem, typically depth/time values that are not rounded adequately.

Examples

```

set.seed(50)

h <- rnorm(n = 1000)

dt <- seq_len(length(h))

alpha <- 0.95

for(i in dt[-1]) h[i] <- alpha * h[i-1] + h[i]

set.seed(42)

em <- extricate(h, dt, nimf = 7, repl = 1, comb = 100, sifting = 4,
               factor_noise = 20, unit_noise = "native", speak = TRUE)

## Not run:
plot_emd(em, adapt.axis = TRUE)
## End(Not run)

check.emd(em, h)

```

condense

Condenses columns of matrix

Description

Condenses columns of a matrix by averaging or summing them. The condensing can be done partially: a multiple of the repetitions can be averaged or summed to keep some repetitions.

Usage

```
condense(m, n, fun = "mean")
```

Arguments

m	matrix of repeated signal, each column being a repetition
n	the number of repetitions that will be averaged/summed
fun	the function to apply to each repetition: "mean" or "sum".

Value

a matrix with n times less columns

Examples

```
m <- matrix(rep(seq(100, 800, 100), each = 10) + rep(1:10, 8), ncol = 8)

m

condense(m, 4)
```

DecomposeR

DecomposeR: Empirical Mode Decomposition for Cyclostratigraphy

Description

This package provides tools to apply Ensemble Empirical Mode Decomposition (EEMD) for cyclostratigraphy purposes. It proposes a new algorithm, that performs EEMD in seconds, a linear interpolation algorithm using the greatest rational common divisor of depth or time, different algorithms to compute instantaneous amplitude, frequency and ratios of frequencies, and functions to verify and visualise the outputs.

Details

Package: DecomposeR

Type: R package

Version: 1.0.6 (begin of 2023)

License: GPL-3

Note

If you want to use this package for publication or research purposes, please cite Wouters, S., Crucifix, M., Sinnesael, M., Da Silva, A.C., Zeeden, C., Zivanovic, M., Boulvain, F., Devleeschouwer, X., 2022, "A decomposition approach to cyclostratigraphic signal processing". *Earth-Science Reviews* 225 (103894). <doi:10.1016/j.earscirev.2021.103894>.

Author(s)

Sebastien Wouters

Maintainer: Sebastien Wouters <wouterseb@gmail.com>

Description

Datasets for testing DecomposeR: the ace dataset is from from Sinnesael et al. (2016), the cip2 and cip3 data sets are from the signals 2 and 3 of the CIP project (Sinnesael et al., 2019), respectively, and cip1 was derived from cip1_raw which is a rasterisation of the .tif image provided as signal 1 of the CIP project. A real case study is also provided, out of ODP 926 in Ceara Rise, limited between 5 & 9 Millions of years ago (Ma): the data sets z13 and z13amp are from Zeeden et al., 2013, and are respectively the greyscale, and its amplitude modulation for the eccentricity; w17 is from Wilkens et al., 2017, which proposes a revised splice for magnetic susceptibility; sc97amp is the amplitude modulation of eccentricity as it was calculated on the magnetic susceptibility by Shackleton & Crowhurst (1997). Excerpts from the Laskar et al., 2004 solution are further provided from <http://vo.imcce.fr/insola/earth/online/earth/online/index.php>: they are the insolation input for the CIP1 signal (cip1_imput), and various solutions for precession, eccentricity and obliquity for given time intervals (in millions of years ago): La04_pre_0_20, La04_ecc_6_8, La04_obl_6_8 & La04_pre_obl_5_9.

Details

xy Values of the signal
pre Values of the signal
dt Depth or time of the signal
age Tuned age of the signal

References

- Laskar, J., Robutel, P., Joutel, F., Gastineau, M. Correia, A. C. M., & Levrard, B. (2004). A long-term numerical solution for the insolation of the Earth. *Astronomy & Astrophysics*. 428. 261-285. [doi:10.1051/00046361:20041335](https://doi.org/10.1051/00046361:20041335)
- Shackleton, N. J., & Crowhurst, S. (1997). Sediment fluxes based on an orbitally tuned time scale 5 Ma to 14 Ma, site 926. *Proceedings of the Ocean Drilling Program, Scientific Results*. 154. [doi:10.2973/odp.proc.sr.154.102.1997](https://doi.org/10.2973/odp.proc.sr.154.102.1997)
- Sinnesael, M., Zivanovic, M., De Vleeschouwer, D., Claeys, P. & Schoukens, J. (2016). Astronomical component estimation (ACE v.1) by time-variant sinusoidal modeling. *Geoscientific Model Development*. 9. 3517-3531. [doi:10.5194/gmd935172016](https://doi.org/10.5194/gmd935172016)
- Sinnesael, M., De Vleeschouwer, D., Zeeden, C., et al. (2019). The Cyclostratigraphy Intercomparison Project (CIP): consistency, merits and pitfalls. *Earth-Science Reviews*. 199. 102965. [doi:10.1016/j.earscirev.2019.102965](https://doi.org/10.1016/j.earscirev.2019.102965)
- Wilkens, R. H., Westerhold, T., Drury A. D., Lyle, M., Gorgas, T., Tian, J. (2017). Revisiting the Ceara Rise, equatorial Atlantic Ocean: isotope stratigraphy of ODP Leg 154 from 0 to 5Ma. *Climate of the Past*. 13. 779-793. [doi:10.5194/cp137792017](https://doi.org/10.5194/cp137792017)
- Zeeden, C., Hilgen, F., Westerhold, T., Lourens, L., Röhl, U. & Bickert, T. (2013). Revised Miocene splice, astronomical tuning and calcareous plankton biochronology of ODP Site 926 between 5

and 14.4 Ma. *Palaeogeography, Palaeoclimatology, Palaeoecology*. 369. 430–451. doi:10.1016/j.palaeo.2012.11.009

dq.algorithm	<i>Calculates instantaneous frequency of frequency carriers using the DQ method</i>
--------------	---

Description

Calculates instantaneous frequency of frequency carriers using the direct quadrature method from Huang et al., 2009.

Usage

```
dq.algorithm(fc, dt)
```

Arguments

fc	a matrix of amplitude between -1 and 1, making up the frequency carrier
dt	a vector of depth or time values

Value

a list of the depth/time (dt), frequency (f), and identity tuning (idt), i.e. depths adapted to transform the frequency carrier into a cosine of period 1.

References

Huang, Norden E., Zhaohua Wu, Steven R. Long, Kenneth C. Arnold, Xianyao Chen, and Karin Blank. 2009. "On Instantaneous Frequency". *Advances in Adaptive Data Analysis* 01 (02): 177–229. <https://doi.org/10.1142/S1793536909000096>.

Examples

```
n <- 600
t <- seq_len(n)
p1 <- 30
xy <- sin(t*2*pi/p1 + 50)
int <- c(rep(1, 99 + 100), seq(1,3,2/100), seq(3,1,-2/100), rep(1,100 + 99))
dt <- cumsum(int)
cond <- dt < 75
xy <- xy[!cond]
```

```

dt <- dt[!cond]/1.2 - 62.5

res <- dq.algorithm(xy, dt)

opar <- par("mfrow")

par(mfrow = c(3,1))

plot(dt, xy, type = "o", pch = 19, main = "Frequency carrier")

plot(dt, 1/res$f, pch = 19, type = "l", log = "y", lwd = 2, ylim = c(25,80),
      main = "Period (Direct Quadrature method)", ylab = "Period")

plot(res$idt[,1], xy, type = "o", pch = 19,
      main = "Identity tuning", axes = FALSE, ylab = "xy", xlab = "dt")

ap <- approx(x = dt, y = res$idt[,1], xout = seq(0,600, by = 20))

axis(1, at = ap$y, labels = ap$x)
axis(2)
box()

par(mfrow = opar)

```

extremist

Gives local extrema and zero crossings intervals

Description

Gives local minimas, maximas and zero crossings. Optimised for large data sets; the sky is the limit (and by the sky I mean the ability of R and your computer to memorise large data sets; but within this limit the algorithm can handle millions of points quickly).

Usage

```
extremist(xy, bound = FALSE, local = TRUE, zc = TRUE)
```

Arguments

xy	the values where to find the local extremas
bound	whether to consider the first and last points as both minima and maxima, for special purposes. Default is F, has it should be.
local	whether to consider the first and last points as local minima and maxima, if TRUE by default, otherwise these first and last points will be ignored
zc	whether to return the zero crossings

Value

a list of the indexes of the left (l) and right (r) boundaries for the minima (minindex), maxima (maxindex) and zero crossing (cross), along with the number of extrema and zero crossings

Examples

```
# Function script ----

xy <- c(1,0,0,0,4,5,5,0.5,-0.5,0.5,0,2,2,1,-1,-1,1,1,0,0,-4,-2,2,1,0,0.5,0,
      NA, 0.5,0,-0.5,3,2,3,0,0.5,4,4,0)

impressme <- 0 # Increase up to 5 or 6 to be impressed (bugs if your system
              # can't handle the size of the data).
              # If you increase it, do not run the plot script.

xy <- rep(xy, round(10^impressme))

print(paste("You are running ", length(xy), " points", sep = ""))

res <- extremist(xy)

# Plot script: do not run if you increase the impressme parameter ----

mini <- unique(c(res$minindex[[1]], res$minindex[[2]]))
maxi <- unique(c(res$maxindex[[1]], res$maxindex[[2]]))
zeri <- unique(c(res$cross[[1]], res$cross[[2]]))

l <- length(xy)

opar <- par("mfrow")

par(mfrow = c(3,1))

plot(1:l, xy, type = "o", pch = 19)
points(mini, xy[mini], pch = 19, col = "blue")

plot(1:l, xy, type = "o", pch = 19)
points(maxi, xy[maxi], pch = 19, col = "red")

plot(1:l, xy, type = "o", pch = 19)
points(zeri, xy[zeri], pch = 19, col = "green")
abline(h = 0, col = "grey")

par(mfrow = opar)
```

Description

Performs EEMD

Usage

```
extricate(
  xy,
  dt,
  nimf,
  ini = NULL,
  repl = 1,
  comb = 100,
  mirror_noise = TRUE,
  factor_noise = 3,
  unit_noise = "1stdiff",
  sifting = 1,
  output_sifting = FALSE,
  remove = "lin.trend",
  bind = FALSE,
  speak = FALSE,
  plot_process = FALSE,
  pdf = TRUE,
  name = "extricate",
  ext = ".pdf",
  dir = tempdir(),
  width = 10,
  height = 20,
  track = TRUE,
  openfile = TRUE
)
```

Arguments

<code>xy</code>	signal, maybe linearly interpolated to have regular sampling interval
<code>dt</code>	depth/time
<code>nimf</code>	number of modes/components/intrinsic mode functions to decompose the signal into
<code>ini</code>	an optional vector of length <code>n</code> of the eventual initial Intrinsic Mode Function <code>xy</code> would be a demodulation of, if it is a demodulation. In that case the mode indexes will start at 2.
<code>repl</code>	the amount of decompositions to output
<code>comb</code>	the amount of decompositions each output decomposition will be a combination of. Has to be a multiple of 2 (even and odd extension stacks have to be combined in any case)
<code>mirror_noise</code>	whether to generate a mirrored noise signal (for even and odd extension) that will cancel perfectly when combining the decompositions

<code>factor_noise</code>	a factor for the amplitude of white noise (finite amplitude obtained via <code>runif</code>). By default it will be multiplied with the mean of the lagged-one difference to define the noise amplitude
<code>unit_noise</code>	whether to multiply <code>factor_noise</code> by the mean of the lagged-one difference (<code>unit_noise = "1stdiff"</code>) or not (<code>unit_noise = "native"</code>)
<code>sifting</code>	amount of iterations of the sifting process
<code>output_sifting</code>	whether to output each sifting
<code>remove</code>	whether to remove the linear trend (<code>remove = "lin.trend"</code>) or the mean (<code>remove = "mean"</code>) prior to decomposition. The removed part will be added back after the decomposition. If <code>remove</code> is anything else, nothing will be removed, which can be problematic for the even and odd extension scheme used.
<code>bind</code>	whether to bind the removed linear trend or mean to the last component (T), or to add it as another component (F)
<code>speak</code>	whether to print a sentence at each sifting: it gives the stack (even or odd), the mode number and sifting number
<code>plot_process</code>	whether to have a plot of the entire sifting process. This slows down the algorithm, use with low <code>'repl'</code> and <code>'comb'</code> values for visualisation purposes
<code>pdf</code>	whether the plot be directly set as a pdf file
<code>name, ext, dir, width, height, track, openfile</code>	arguments to provide to <code>pdfDisplay</code> if <code>plot_process</code> and <code>pdf</code> are TRUE

Value

a list made of `$xy` (original signal), `$dt` (depth/time), `$m` (a matrix of the decomposition), `$repl` (the replicate id of each point) and `$mode` (the mode id of each point). If `output_sifting` is TRUE, additional `$even_sifting` and `$odd_sifting` data.tables are provided, giving the condensed siftings for the even and odd extensions.

Examples

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5) + t * 0.01

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)

dec <- extricate(xy, dt, nimf = 7, repl = 1, comb = 40, factor_noise = 10,
  sifting = 10, speak = TRUE, output_sifting = TRUE)
```

```

integrity(xy, dec)

parsimony(dec)

plot_emd(dec, select = c(4, 6), pdf = FALSE)
## Not run:
plot_emd(dec, li = list(v = 0), dir = tempdir())
## End(Not run)

```

gzc

Calculates instantaneous frequency using the GZC method

Description

Calculates instantaneous frequency using the Generalised Zero-Crossing method from Huang et al., 2009. General wrapper for the [gzc.algorithm](#) function that does all the actual work.

Usage

```

gzc(
  emd = NULL,
  ini = NULL,
  m = NULL,
  dt = NULL,
  repl = 1,
  mode = NULL,
  dtout = NULL,
  output = 1,
  warn = TRUE
)

```

Arguments

emd	emd-type object
ini	an optional vector of length n of the eventual initial Intrinsic Mode Function xy would be a demodulation of, if it is a demodulation. It will be integrated to the results as mode 1.
m	a matrix of the amplitude values (xy) of the components, each column being a component. Each column should have the same number of non NA values. Vectors, for 1 component, are accepted. Is overridden by emd.
dt	the depth or time value. Is overridden by emd.
repl	the amount of replicates in m. Is overridden by emd.
mode	the mode sequence index to give to each replicated IMFs
dtout	the dt values to sample the frequency and amplitude from if output = 2.

output	the style of the output, whether 0, 1 or 2. 0 provides the raw output of <code>gzc.algorithm</code> , 1 and 2 provides a matrix with dt (depth/time), f (frequency) and a (amplitude), but with output = 1 the matrix provides the dt only at the extremas and zero-crossings, whereas with output = 2 the dt values are the ones provided with the <code>dtout</code> parameter. 1 is better for plots, 2 allows easier calculations to be performed downstream.
warn	whether to warn if the sampling interval defined by the <code>dtout</code> parameter is too small (redirected from <code>Stratigrapher::tie.lim</code>)

Value

depending on the output parameter:

output = 0 provides the raw output of `gzc.algorithm`, with ldt and rdt (the left and right boundaries of the depth/time intervals), f (frequency) and a (amplitude). To that are added $repl$ (the replicate id) and $mode$ (the mode id)

output = 1 or 2 provides a matrix with dt , f and a , but with output = 1 the matrix provides the dt only at the extremas and zero-crossings, whereas with output = 2 the dt values are the ones provided with the `out` parameter. 1 is better for plots, 2 allows easier calculations to be performed downstream.

References

Huang, Norden E., Zhaohua Wu, Steven R. Long, Kenneth C. Arnold, Xianyao Chen, and Karin Blank. 2009. "On Instantaneous Frequency". *Advances in Adaptive Data Analysis* 01 (02): 177–229. <https://doi.org/10.1142/S1793536909000096>.

Examples

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5) + t * 0.01

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)
dec <- extricate(xy, dt, nimf = 7, repl = 1, comb = 50,
  factor_noise = 10, sifting = 10, speak = TRUE)

## Not run:
plot_emd(dec, dir = tempdir())
## End(Not run)

integrity(xy, dec)
```

```

parsimony(dec)

res <- gzc(dec)

numb <- 4

opar <- par('mfrow')

par(mfrow = c(1,2))

plot(dec$m[,numb], dec$dt, type = "l",
      main = paste("Mode", numb, " + Amplitude"),
      xlab = "xy", ylab = "dt", ylim = c(0, 600))
lines(res$a[,numb], res$dt[,numb], col = "red", lwd = 2)

plot(1/res$f[,numb], res$dt[,numb], ylim = c(0,600),
      xlab = "Period", ylab = "dt", log = "x",
      type = "l", col = "red", lwd = 2, main = "Period")

par(mfrow = opar)

```

gzc.algorithm	<i>Calculates instantaneous frequency of simplified IMF using the GZC method</i>
---------------	--

Description

Calculates instantaneous frequency of simplified IMF using the Generalised Zero-Crossing method from Huang et al., 2009.

Usage

```
gzc.algorithm(xy, dt)
```

Arguments

xy	a matrix of amplitude
dt	a vector of depth or time values

Details

the GZC method is precise to 1/4th of a period, so the results are provided between left and right points, i.e. either an extrema or a zero-crossing.

Value

a list of \$ldt (left position), \$rdt (right position), \$f (frequency) and \$a (amplitude)

References

Huang, Norden E., Zhaohua Wu, Steven R. Long, Kenneth C. Arnold, Xianyao Chen, and Karin Blank. 2009. 'On Instantaneous Frequency'. *Advances in Adaptive Data Analysis* 01 (02): 177–229. <https://doi.org/10.1142/S1793536909000096>.

Examples

```
xyi <- c(0.5,0,-0.5,0,0.5,0,-0.5,0,0.5,0,-0.5,0,0.5,0,-0.5,0,
        1,1,0,-1,-1,0,1,1,0,-1,-1,0,1,1,0,-1,-1)

dti <- 1:length(xy)

d <- simp.emd(m = xyi, dt = dti)

xy <- d$xy
dt <- d$dt

res <- gzc.algorithm(xy, dt)

opar <- par('mfrow')

par(mfrow = c(2,1))

plot(dti, xyi, pch = 19, type = "o", ylab = "xy", xlab = "dt")
points(dt, xy, pch = 19, col = "green")
points(res$ldt, res$a, pch = 19, col = "red")
points(res$rdt, res$a, pch = 19, col = "red")

plot(dt, rep(max(res$f, na.rm = TRUE), length(dt)), type = "n",
      ylab = "Frequency", xlab = "dt",
      ylim = c(0, 2 * max(res$f, na.rm = TRUE)))
points(res$ldt, res$f, pch = 19)
points(res$rdt, res$f, pch = 19)

par(mfrow = opar)
```

gzc.departure

departure of instantaneous frequency to generalized zero-crossing

Description

departure of instantaneous frequency to generalized zero-crossing of instantaneous frequency. The departure is calculated as the exponential of the absolute difference of logarithms of frequencies obtained using a robust generalized zero-crossing method through the [gzc](#) function (where the components are simplified into extrema separated by zero-crossings) and instantaneous frequency computed from another method

Usage

```
gzc.departure(
  pulse = NULL,
  dt = NULL,
  m = NULL,
  f = NULL,
  repl = 1,
  mode = NULL,
  simplify = TRUE
)
```

Arguments

<code>pulse</code>	a pulse object object
<code>dt</code>	the depth or time. Is overridden by <code>pulse</code> .
<code>m</code>	a matrix of the modes to calculate the gzc frequency from. Is overridden by <code>pulse</code> .
<code>f</code>	a matrix of the frequencies to compare to gzc.
<code>repl</code>	the amount of replicates in <code>m</code> . Is overridden by <code>emd</code> .
<code>mode</code>	the mode sequence index to give to each replicated IMFs. Is overridden by <code>emd</code> .
<code>simplify</code>	whether to average the value for each component of each replicate

Value

If `simplify` is `TRUE`, the function returns the average gzc departure as a data frame where the columns stand for the modes and the rows for the replicates. If `simplify` is `FALSE`, the function returns the functions returns local gzc departure.

Examples

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5) + t * 0.01

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)

dec1 <- extricate(xy, dt, nimf = 5, repl = 1, comb = 10, sifting = 1,
  factor_noise = 10, bind = TRUE, speak = TRUE)
```

```
dec2 <- extricate(xy, dt, nimf = 6, repl = 1, comb = 100, sifting = 5,
                 factor_noise = 50, bind = TRUE, speak = TRUE)

## Not run:
plot_emd(dec1, name = "EMD 1", dir = tempdir())
plot_emd(dec2, name = "EMD 2", dir = tempdir())
## End(Not run)

parsimony(dec1)
parsimony(dec2)

f1 <- inst.pulse(dec1, plot = FALSE)
f2 <- inst.pulse(dec2, plot = FALSE)

gzc.departure(f1)
gzc.departure(f2)
```

HilbertEnvelope	<i>Instantaneous amplitude</i>
-----------------	--------------------------------

Description

Generates the instantaneous amplitude of an analytic signal given by [HilbertTransform](#)

Usage

```
HilbertEnvelope(asig)
```

Arguments

`asig` The analytic signal returned by [HilbertTransform](#)

Value

envelope Instantaneous amplitude

Author(s)

Daniel C. Bowman (in the `hht` package)

See Also

[HilbertTransform](#), [InstantaneousFrequency](#)

Examples

```
tt <- seq(1000) * 0.01
sig <- sin(4 * pi * tt) + sin(3.4 * pi * tt)
asig <- HilbertTransform(sig)
env <- HilbertEnvelope(asig)
plot(tt, sig, type = "l")
lines(tt, env, col = "red")
lines(tt, -env, col = "red")
```

HilbertTransform	<i>The Hilbert transform</i>
------------------	------------------------------

Description

Creates the analytic signal using the Hilbert transform.

Usage

```
HilbertTransform(sig)
```

Arguments

sig Signal to transform.

Details

Creates the real and imaginary parts of a signal.

Value

asig Analytic signal

Author(s)

Daniel C. Bowman (in the hht package)

See Also

[HilbertEnvelope](#), [InstantaneousFrequency](#)

Examples

```

tt <- seq(1000) * 0.01
sig <- sin(pi * tt)
asig <- HilbertTransform(sig)

plot(tt, sig, xlim = c(0, 12))

lines(tt, Re(asig), col = "green")
lines(tt, Im(asig), col = "red")
legend("topright", col = c("black", "green", "red"),
      lty = c(NA, 1, 1), pch = c(1, NA, NA),
      legend = c("Signal", "Real", "Imaginary"))

```

inst.pulse

Computes instantaneous frequency using the Hilbert transform

Description

Calculates instantaneous frequency using the Hilbert transform (HT), normalised Hilbert transform (NHT) or the direct quadrature (DQ) methods. Normalisation is done for NHT and DQ using Huang et al., 2009 algorithm, but the empirical normalisation scheme can fail due to overshoot or undershoot of the spline. Additional research is necessary for that last feature.

Usage

```

inst.pulse(
  emd = NULL,
  imf = NULL,
  m = NULL,
  dt = NULL,
  ini = NULL,
  repl = 1,
  mode = NULL,
  last = FALSE,
  plot = TRUE,
  method = "HT",
  delta = NULL,
  tolerance = 8,
  relative = TRUE,
  breaks = 500,
  bins = 100,
  cut = 18,
  lines = NULL
)

```

Arguments

emd	an emd object
imf	a matrix of same frequency modes to calculate the frequency from. Is overridden by emd. This allows to calculate and visualise the results for single IMFs more clearly than in a population plot.
m	a matrix of the modes to calculate the frequency from. Is overridden by emd and imf.
dt	the depth or time. Is overridden by emd.
ini	an optional vector of length n of the eventual initial Intrinsic Mode Function xy would be a demodulation of, if it is a demodulation. It will be integrated to the results as mode 1.
repl	the amount of replicates in m. Is overridden by emd.
mode	the mode sequence index to give to each replicated IMFs. Is overridden by emd.
last	whether to use the last mode (trend/residue).
plot	whether to have a plot summary of the output.
method	the IF calculation method: "HT" for Hilbert transform (default), "NHT" for normalised Hilbert transform, and "DQ" for direct quadrature. The two last require normalisation, which can sometimes fail.
delta, tolerance, relative	parameters to feed to respace for interpolation
breaks, bins, cut	parameter for the plots: breaks is fed to plot_hist , bins is fed to plot_hex , and cut defines the number of color cuts for plot_hex . For better control use plot_hist and plot_hex directly.
lines	the period of lines to be added to the plots for better visualisation

Value

a list made of \$dt (depth/time), \$f (instantaneous frequency), \$a (instantaneous amplitude), \$repl (the replicate id of each point) and \$mode (the mode id of each point)

References

Huang, Norden E., Zhaohua Wu, Steven R. Long, Kenneth C. Arnold, Xianyao Chen, and Karin Blank. 2009. "On Instantaneous Frequency". *Advances in Adaptive Data Analysis* 01 (02): 177–229. <https://doi.org/10.1142/S1793536909000096>.

Examples

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240
```



```

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5) + t * 0.01

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)
dec <- extricate(xy, dt, nimf = 7, repl = 10, comb = 10,
  factor_noise = 10, sifting = 10, speak = FALSE)

## Not run:
plot_emd(dec, dir = tempdir())
## End(Not run)

integrity(xy, dec)
parsimony(dec)

ht <- inst.pulse(dec, lines = c(30, 240))
gzcr <- gzc(dec)

imf <- dec$m[,4]

inst.pulse(imf = imf, dt = dt, method = "DQ")

```

inst.ratio

Computes instantaneous ratio of frequency

Description

Computes instantaneous ratio of frequency

Usage

```

inst.ratio(
  pulse = NULL,
  dt = NULL,
  f = NULL,
  a = NULL,
  repl = 1,
  plot = TRUE,
  sqrt.rpwr = TRUE,
  style = "b",
  select = NA,
  bins = 100,
  cut = 18,
  lines = NULL,
  width = 10,
  height = 10,
  name = "Ratio",

```

```

  ext = ".pdf",
  dir = tempdir(),
  track = TRUE,
  openfile = TRUE
)

```

Arguments

pulse	a pulse object (created by <code>inst.pulse</code> for instance)
dt	depth/time. Is overridden by pulse.
f	instantaneous frequency. Is overridden by pulse.
a	instantaneous amplitude. Is overridden by pulse.
repl	number of replicates in f
plot	whether to plot an output
sqrt.rpwr, style, select, bins, cut, lines, width, height	parameters to feed to <code>plot_ratio</code> for the plots
name, ext, dir, track, openfile	parameters to feed to <code>pdfDisplay</code> in <code>plot_ratio</code> for pdf plot.

Value

a list of depth/time ($\$dt$), frequency ($\f), ratio of frequency ($\$ratio$), if a is provided; the ratio power ($\$rpwr$) i.e. the multiplication of the instantaneous amplitudes of the modes two by two, the replicates id ($\$repl$) and id for the first and second frequency modes used for the ratio ($\$l$ for the first, $\$r$ for the second, or $\$lr$ for the two combined)

Examples

```

set.seed(42)

n <- 600
time <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(time * 2*pi/p2)) * sin(time * 2*pi/p1) +
  2 * sin(time * 2*pi/p2) + rnorm(n, sd = 0.5)

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5), 1)

dt <- cumsum(inter_dt)

dec <- extricate(xy, dt, nimf = 7, sifting = 10,
  repl = 10, comb = 10, factor_noise = 10,
  speak = TRUE)

## Not run:
plot_emd(dec, dir = tempdir())

```

```
## End(Not run)

integrity(xy, dec)
parsimony(dec)

ht <- inst.pulse(dec, lines = c(30, 240))
ratio <- inst.ratio(ht, style = "s", lines = 8)
```

InstantaneousFrequency

Derive instantaneous frequency

Description

Calculates instantaneous frequency from an analytic signal.

Usage

```
InstantaneousFrequency(asig, tt, method = "arctan", lag = 1)
```

Arguments

asig	Analytic signal produced by HilbertTransform
tt	Sample times
method	How the instantaneous frequency is calculated. "arctan" uses the arctangent of the real and imaginary parts of the Hilbert transform, taking the numerical derivative of phase for frequency. "chain" uses the analytical derivative of the arctangent function prior to performing the numerical calculation.
lag	Differentiation lag, see the <code>diff</code> function in the base package.

Value

instfreq Instantaneous frequency in 1/time

Note

The "arctan" method was adapted from the `hilbertspec` function in the EMD package.

!!IMPORTANT!! The numeric differentiation may be unstable for certain signals. For example, high frequency sinusoids near the Nyquist frequency can give inaccurate results when using the "chain" method. When in doubt, use the [PrecisionTester](#) function to check your results!

Author(s)

Daniel C. Bowman (in the `hht` package)

See Also

[PrecisionTester](#)

integrity

Integrity of a decomposition

Description

The function adds each component of a decomposition by depth/time, subtracts it with the original signal, and provides the absolute of this subtraction. This allows to verify if the decomposition is computed correctly.

The bulk value is the cumulated value of this proxy. If the decomposition is done right the value should be very small, but non-zero due to the floating-point arithmetics used by computers that generate tiny errors. It's actually interesting: the first computations of the orbital solutions were strongly affected by this error, as the chaotic behaviour of the equations enhanced the effect of these tiny errors.

Usage

```
integrity(xy, emd = NULL, m = NULL, repl = 1, bulk = TRUE)
```

Arguments

xy	the signal
emd	an emd object to test. The emd\$xy original signal is not used, to avoid confusion: you always have to provide the xy signal yourself.
m	a matrix with columns of same length that xy, made of the decomposition of the signal. Is overridden by emd.
repl	the replication of decompositions in m. Is overridden by emd.
bulk	whether to have a bulk value each decomposition replication, or for each dt of each replication

Value

a matrix with each column being a replication, or a list of bulk values for each replication

Examples

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5)

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)
```

```
dt <- cumsum(inter_dt)

dec <- extricate(xy, dt, nimf = 7, repl = 10, comb = 10, factor_noise = 10,
                sifting = 10, speak = TRUE, output_sifting = TRUE)

integrity(xy, dec)
```

is.ratio	<i>Check ratio objects</i>
----------	----------------------------

Description

Check ratio objects

Usage

```
is.ratio(ratio)
```

Arguments

ratio a ratio object to check

Examples

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
      rnorm(n, sd = 0.5)

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)

dec <- extricate(xy, dt, nimf = 7, sifting = 10,
                repl = 10, comb = 10, factor_noise = 10,
                speak = TRUE)

ht <- inst.pulse(dec, plot = FALSE)
ratio <- inst.ratio(ht, plot = FALSE)

is.ratio(ratio)
```

 is.simp.emd

Tests for simplified EMD

Description

Tests whether each column of a matrix is an alternation of -minima zero-crossing maxima zero-crossing-

Usage

```
is.simp.emd(xy)
```

Arguments

xy a vector or matrix of values to test

Examples

```
xytest1 <- c(0.5, 1,-1,-0.85,-0.5,-1,-0.5,-1,1,0.5,0,-1,0,
            1,-1,0,1,2,-2,1,2,1,3,0,-1,-1,3,0)
```

```
xytest2 <- c(0, 1,-1,-0.85,-0.5,-1,-0.5,-1,1,0.5,0,0,
            1,1,1,1,2,-2,1,2,1,3,0,-1,-1,3,0)
```

```
dat1 <- simp.emd(m = xytest1, dt = 1:length(xytest1))
```

```
dat2 <- simp.emd(m = xytest2, dt = 1:length(xytest2))
```

```
is.simp.emd(dat1$xy)
```

```
is.simp.emd(dat2$xy)
```

```
# There is a problem when two maxima or minima are separated by a point at 0
# that does not cross any further, creating a false simplified IMF. This is
# not considered as a simplified IMF by this function. However this scenario
# should be very rare in EMDs, but you never really know.
```

 mode.in

Add / Remove / Bind modes in emd objects

Description

Add / Remove / Bind modes in emd objects

Usage

```
mode.in(emd, xy, mode = NA, adjust = TRUE, name = "Added")

mode.out(obj, keep = NULL, lose = NULL, adjust = F, reorder = F)

mode.bind(emd, mode = NA, xy = NULL, adjust = T, name = "bound")
```

Arguments

emd	emd-type object
xy	an Intrinsic Mode Function to add
mode, keep, lose	[mode.in] the position where to add the mode / [mode.out] the modes to keep or lose / [mode.bind] the modes to merge
adjust	whether to adapt the initial signal of an emd object (\$xy in the emd object) when adding or removing a mode
name	the name of the new mode
obj	emd or pulse type object
reorder	whether to reinitialise the index of modes when suppressing one

Examples

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5)

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)

dec <- extricate(xy, dt, nimf = 7, sifting = 10,
  repl = 10, comb = 10, factor_noise = 10,
  speak = TRUE)

opar <- par('mfrow')

par(mfrow = c(2,1))

integrity(xy, dec)

ht <- inst.pulse(dec, plot = FALSE)

plot_hist(x = 1/ht$f, breaks = 500, id = ht$mode,
```

```

xlog = TRUE, text = TRUE, xlab = "Period",
main = "Initial Decomposition")

bound <- mode.bind(dec, mode = c(6,7))

ht2 <- inst.pulse(bound, plot = FALSE)

plot_hist(x = 1/ht2$f, breaks = 500, id = ht2$mode,
xlog = TRUE, text = TRUE, xlab = "Period",
main = "Binding of modes 6 and 7")

par(mfrow = opar)

## Not run:
plot_emd(bound, dir = tempdir(), adapt.axis = TRUE)
## End(Not run)

```

n.extrema	<i>Number of extrema/zero-crossings</i>
-----------	---

Description

Computes the number of extrema and zero-crossings for different groups of data, by their id or separated by NA values

Usage

```

n.extrema(
  xy,
  id = NULL,
  use.names = TRUE,
  bound = FALSE,
  local = FALSE,
  zc = TRUE
)

```

Arguments

xy	signal or decomposed signal
id	the id for different groups. If any NA value is in xy, it will also separate two groups of data
use.names	whether to use the names in id
bound, local, zc	parameters to feed to extremist

Value

a list of the number of minima ($\$n.min$), maxima ($\$n.max$), and, if $zc = TRUE$, zero-crossings ($\$n.cross$)

Examples

```

set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5)

xy <- xy - mean(xy)

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)

dec <- extricate(xy, dt, nimf = 7, sifting = 10,
                repl = 1, comb = 40, factor_noise = 10,
                speak = TRUE)

integrity(xy, dec)
parsimony(dec)

n.extrema(dec$m, dec$mode)

plot_emd(dec, select = c(6,8,9), pdf = FALSE, adapt.axis = TRUE)
## Not run:
plot_emd(dec, li = list(v = 0), adapt.axis = TRUE, dir = tempdir())
## End(Not run)

```

normalise

Empirical AM and FM decomposition

Description

Applies the normalisation scheme of Huang et al., 2009 to decompose any Intrinsic Mode Functions obtained (usually via Empirical Mode Decomposition) into an Frequency Modulated component of amplitude 1, also called carrier, and its Amplitude Modulated envelope. The carrier can then be used to compute the instantaneous frequency via the Normalised Hilbert Transform (NHT) or by calculating its Direct Quadrature (DQ) (Huang et al., 2009). **HOWEVER THIS FUNCTION CAN FAIL** due to overshoot or undershoot of the spline fitting. Additional research is necessary.

Usage

```

normalise(emd = NULL, m = NULL, dt = NULL, repl = 1, last = TRUE, speak = TRUE)

normalize(emd = NULL, m = NULL, dt = NULL, repl = 1, last = TRUE, speak = TRUE)

```

Arguments

<code>emd</code>	an emd object
<code>m</code>	a matrix of the modes to calculate the amplitude and the frequency carrier from. Is overridden by <code>emd</code> .
<code>dt</code>	the depth or time. Is overridden by <code>emd</code> .
<code>repl</code>	the amount of replicates in <code>m</code> . Is overridden by <code>emd</code> .
<code>last</code>	whether to use the last mode (trend/residue).
<code>speak</code>	whether to print a sentence at each iteration

Value

a list of two matrices: `$fc` (frequency carrier) and `$a` (instantaneous amplitude)

References

Huang, Norden E., Zhaohua Wu, Steven R. Long, Kenneth C. Arnold, Xianyao Chen, and Karin Blank. 2009. 'On Instantaneous Frequency'. *Advances in Adaptive Data Analysis* 01 (02): 177–229. <https://doi.org/10.1142/S1793536909000096>.

Examples

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
      rnorm(n, sd = 0.5)

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)

dec <- extricate(xy, dt, nimf = 7, sifting = 10,
                repl = 1, comb = 100, factor_noise = 10,
                speak = TRUE)

plot_emd(dec, pdf = FALSE, select = 4)

integrity(xy, dec)
parsimony(dec)

m <- dec$m

res <- normalise(dt = dt, m = m, last = FALSE)
```

```

numb <- 4

opar <- par('mfrow')

par(mfrow = c(1,2))

plot(m[,numb], dt, type = "l", xlab = "xy",
     main = paste("Mode", numb, "and AM envelope"))
lines(res$a[,numb], dt, col = "red", lty = 5, lwd = 2)

plot(res$fc[,numb], dt, type = "l", xlab = "xy",
     main = "FM carrier")

par(mfrow = opar)

```

oscillate

Modify a signal using a Van der Pol oscillator

Description

Modify a signal using a Van der Pol oscillator

Usage

```

oscillate(
  xy,
  dt,
  period,
  delta = 0.05,
  damp = 5e-05,
  f.noise = 5,
  f.signal = 0.95,
  dx = function(x, y, beta, damp) beta * y - x * (x^2 + y^2 - 1) * damp,
  dy = function(x, y, beta, damp) -beta * x - y * (x^2 + y^2 - 1) * damp,
  xi = if (length(xy) != 0) xy[1] else 0.5,
  yi = if (length(xy) != 0) xy[1] else 0.5,
  normalise = TRUE,
  limit = TRUE
)

```

Arguments

xy	initial signal (vector or matrix)
dt	depth/time (same length than length/rows of xy)
period	the period of the oscillator (length 1 or n)
delta	the sampling interval for iteration (length 1 or n)

damp	damping parameter
f.noise	a factor of the amount of noise (length 1 or n)
f.signal	a factor of the amount of signal (length 1 or n)
dx, dy	the differentials used in the oscillator. They should be provided as functions needing x, y, beta ($2\pi/\text{period}$) and damp (damping) parameters
xi	the initial x value
yi	the initial y value
normalise	whether to recenter the output signal on the initial signal
limit	whether to warn when parameters are unrealistic (subjective)

Examples

```

set.seed(42)

n <- 800

dt <- seq(0, n, 1)

p1 <- 100
p2 <- 40

xy <- (1 + 0.6 * sin(dt*2*pi/p1)) * sin(dt*2*pi/p2) + 2 * sin(dt*2*pi/p1) + 1

xyout <- oscillate(xy, dt, period = 30)

opar <- par("mfrow")

par(mfrow = c(1,1))

plot(xy, dt, type = "l",
      main = "Initial signal (bold) & oscillated signal (dashed)",
      lwd = 2, xlim = c(-4, 6))
lines(xyout, dt, type = "l", col = "grey50", lwd = 2, lty = 5)

par(mfrow = opar)

```

parsimony

Parsimony of a decomposition

Description

The function adds the absolute values of each component of a decomposition by depth/time, and computes the ratio of that with the absolute values of the signal. This is done either by depth/time or on the time/depth-cumulated signal (i.e. the bulk signal).

This is a proxy for parsimony: it is the factor of amplitude added by the decomposition. A perfect decomposition, that does not 'invent' wiggles, should approach 1, but will logically always be

higher. However it is influenced by the absolute value of the initial signal: if the original signal is not centered around 0, the parsimony is not significant (it will artificially be closer to 1). To correct for that, the residue (part of the decomposition that is not centered around zero) has to be removed from the original signal.

Usage

```
parsimony(
  emd = NULL,
  xy = NULL,
  m = NULL,
  mode = NULL,
  repl = 1,
  bulk = TRUE,
  correct = NA
)
```

Arguments

emd	an emd object
xy	the signal
m	a matrix with columns of same length that xy, made of the decomposition of the signal
mode	the mode sequence index to give to each replicated IMFs
repl	the replication of decompositions in m
bulk	whether to have a bulk value each decomposition replication, or for each dt of each replication
correct	the modes to remove from the original signal and decomposition for a significant parsimony calculation. If NA, it removes the last mode, considered as the residue. Can be a vector of several integers, standing for the columns of m. If NULL, no mode is removed

Value

a matrix with each column being a replication, or a list of bulk values for each replication

Examples

```
set.seed(42)

n <- 500

dt <- seq_len(n)
xy <- rnorm(n, mean = 0, sd = 1) + 10

dec <- extricate(xy, dt, nimf = 7, comb = 10, sifting = 10,
                factor_noise = 1, speak = TRUE)

## Not run:
```

```

plot_emd(dec, dir = tempdir())
## End(Not run)

parsimony(dec, correct = NULL)

parsimony(dec)

```

pile.down *Destacks a pile.up() signal*

Description

Destacks a signal stacked by [pile.up](#) by averaging each repetition back to n multiples.

Usage

```
pile.down(x, stack, even, n = length(unique(stack$id)) - 2)
```

Arguments

x	Treated signal
stack	Initial stack from which the x signal is from
even	Whether the x signal comes from even extension part of the initial stack (if FALSE, it would come from the odd extension part)
n	The multiple of destacking (has to be a multiple of n/2 (n being the parameter used in pile.up), in other words a multiple of length(unique(stack\$id)) - 2 (minus 2 as the upper and lower extension are to be removed)

Value

a matrix or a vector of the destacked signal

Examples

```

set.seed(42)

n <- 200
t <- seq_len(n)

p1 <- 25
p2 <- 75

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5)

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)
inter_dt[20] <- 20

```

```

dt <- cumsum(inter_dt)

opar <- par()$mfrow
par(mfrow = c(1,1))

res <- pile.up(xy, dt, 4)

par(mfrow = c(2,1))
plot(res$ndt, res$even, type = "l", col = "blue")
plot(res$ndt, res$odd, type = "l", col = "red")

par(mfrow = c(opar))

# Small number of repetitions ----

opar <- par("mfrow")
par(mfrow = c(1,2))

stack <- pile.up(xy, dt, 10)

signal <- stack$even + runif(length(stack$even), -3, 3)

res <- pile.down(signal, stack, even = TRUE, n = 5)

plot(xy, dt, type = "l", lwd = 2, main = "Low number of repetitions")
lines(res, dt, type = "l", lty = 5, col = "red")

# High number of repetitions ----

stack <- pile.up(xy, dt, 1000)

signal <- stack$even + runif(length(stack$even), -3, 3)

res <- pile.down(signal, stack, even = TRUE, n = 500)

plot(xy, dt, type = "l", lwd = 2, main = "High number of repetitions")
lines(res, dt, type = "l", lty = 5, col = "red")

par(mfrow = c(opar))

```

pile.up

Repeat and stack a signal in central and line symmetry

Description

Repeats and stacks a signal duplicated in central (even) and line (odd) symmetry to apply Ensemble Empirical Mode Decomposition (EEMD) on one single vector following the simple boundary rule of Zeng and He (2004). This allows to avoid the iterations that are typical of EEMD. A complete

set of signal is added by default at the upper and lower part of the stack, to be removed in the end process.

Usage

```
pile.up(xy, dt, n, warn = TRUE)
```

Arguments

xy	the signal
dt	the depth/time positions of each xy
n	the number of replicates you want. It has to be a multiple of two, as you will generate two stacks: the even and the odd one.
warn	whether you want to be annoyed

Value

a dataframe of the original dt (odt), the stack-modified dt (ndt), the inversion factor to change the even stack into the odd one and vice-versa (invert), the even xy stack (even) and the odd one (odd)

Examples

```
set.seed(42)

n <- 200
t <- seq_len(n)

p1 <- 25
p2 <- 75

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5)

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)
inter_dt[20] <- 20

dt <- cumsum(inter_dt)

opar <- par()$mfrow
par(mfrow = c(1,1))

res <- pile.up(xy, dt, 4)

par(mfrow = c(2,1))
plot(res$ndt, res$even, type = "l", col = "blue")
plot(res$ndt, res$odd, type = "l", col = "red")

par(mfrow = c(opar))
```

plot_emd	<i>Plot a decomposition</i>
----------	-----------------------------

Description

General plot for a complete decomposition (that can be summed back to the original signal)

Usage

```
plot_emd(  
  emd = NULL,  
  xy = NULL,  
  ini = NULL,  
  dt = NULL,  
  m = NULL,  
  mode = NULL,  
  repl = 1,  
  size.xy = 5,  
  size.dt = 25,  
  style = 2,  
  xlim = NULL,  
  dtlim = NULL,  
  inilim = NULL,  
  vertical = TRUE,  
  adapt.axis = FALSE,  
  adapt.last = TRUE,  
  select = NULL,  
  over = NULL,  
  s = list(type = "o", pch = 19, cex = 0.5),  
  o = list(type = "l", col = "blue", lwd = 2),  
  i = list(type = "o", pch = 19, cex = 0.5),  
  e = list(type = "l", col = "red", lwd = 2),  
  la = list(h = c(), v = c(), col = "red", xpd = FALSE),  
  ls = list(),  
  li = list(col = "grey", lty = 5),  
  box = TRUE,  
  ax = list(),  
  ay = list(),  
  parg = list(),  
  title = TRUE,  
  t1 = "Signal",  
  t2 = "Mode",  
  pdf = TRUE,  
  name = "EMD",  
  ext = ".pdf",  
  dir = tempdir(),  
  track = TRUE,
```

```

    openfile = TRUE
)

```

Arguments

emd	an emd object
xy	the original signal. Is overridden by emd.
ini	an optional vector of length n of the eventual initial Intrinsic Mode Function xy would be a demodulation of, if it is a demodulation.
dt	the depth/time. Is overridden by emd.
m	a matrix with columns of same length that xy, made of the decomposition of the signal. Is overridden by emd.
mode	which modes/decompositions to plot
repl	the replication of decompositions in m. Is overridden by emd.
size.xy, size.dt	the size i inches of each individual plot in pdf
style	whether to not plot the original signal (style = 0), to plot it as the first signal (style = 1), or to plot it before each individual mode (style = 2, is the default)
xylim, dtlim, inilim	the boundaries for the plots (inilim stands for the xy boundaries of the plot of the initial IMF xy is a demodulation of, if applicable)
vertical	whether to have the depth/time [dt] axis vertically (geologist convention) or horizontally (climatologist convention)
adapt.axis	whether to let the plot adapt the axis to see the variability of the decompositions. The default os to have a comparable x axis for each plots
adapt.last	whether to adapt the last plot as a residue (if TRUE the x axis will be identical to the one of the signal, not centered on 0)
select	the components to plot
over	which modes/decompositions will be cumulated and added to the signal plotted at their left or above them (if style = 2)
s, o, i, e	lists of parameters to feed lines, for the original signal, the cumulated modes/decompositions overlapping it, the modes/decompositions themselves, and the envelope of the initial signal used for demodulation if it applies, respectively.
la, ls, li	lists of parameters to provide the abline function (makes personalised lines for you to have a better grasp of the data). la will plot on all panels, ls on the signal ones, and li on the modes ones.
box	whether to draw boxes around the plots
ax, ay	lists of parameters to feed minorAxis, the function making the axes, for the x and y axes
parg	list of parameters to feed par
title	whether to write titles
t1	the title for the signal

t2 the title for the modes

pdf whether to plot as a pdf

name, ext, dir, track, openfile
 parameters for the pdfDisplay function, namely the name of the pdf file, its extension (if you want to make a .svg file you can), the directory of the file, whether to track the changes (if you use sumatrapdf as a default pdf reader you can set it to F and it will avoid creating too many pdf files), and whether to directly open the file

Examples

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5) + 0.01 * t

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)

dec <- extricate(xy, dt, nimf = 7,
                 repl = 10, comb = 10, factor_noise = 10,
                 speak = TRUE)

plot_emd(dec, select = c(4,6), pdf = FALSE)
## Not run:
plot_emd(dec, dir = tempdir())
## End(Not run)
```

plot_hex

Group and/or log-scale hexagonal binning

Description

Group and/or log-scale hexagonal binning. Provides a legend indicating the count representations. USES THE GRID GRAPHICAL SYSTEM, BASE GRAPHICS NOT SUPPORTED. To add lines, polygons or text, use the l, g and t arguments.

Usage

```

plot_hex(
  x,
  y,
  id = NA,
  select = NA,
  uniform = TRUE,
  bins = 60,
  xbnds = range(x, na.rm = TRUE),
  ybnds = range(y, na.rm = TRUE),
  xlim = xbnds,
  ylim = ybnds,
  log = "",
  shape = 1,
  mincnt = 1,
  maxcnt = NA,
  colorcut = seq(0, 1, length = 17),
  colramp = function(n) matlab.like(length(colorcut) - 1),
  trans = NULL,
  inv = NULL,
  border = NULL,
  lwd = 0.1,
  cex = 1,
  main = "",
  xlab = "x",
  ylab = "y",
  xaxis = TRUE,
  yaxis = TRUE,
  xaxs = "r",
  yaxs = "r",
  box = TRUE,
  mar = c(0.15, 0.125, 0.15, 0.2),
  legend = TRUE,
  leg_sep = 0.1,
  xpd_hex = 0.75,
  xpd_leg = 1.5,
  l = list(x = NULL, y = NULL, default.units = "native"),
  g = list(x = NULL, y = NULL, default.units = "native"),
  t = list(label = NULL, default.units = "native"),
  plot = TRUE
)

```

Arguments

<code>x, y</code>	vectors giving the coordinates of the bivariate data points to be binned.
<code>id</code>	a vector of ids for each x value, to separate different groups of data
<code>select</code>	the groups of ids to plot

uniform	whether to keep the creaks defined by the entire matrixes when selecting only a part of it
bins	the number of bins partitioning the range of xbnds.
xbnds, ybnds	horizontal and vertical limits of the binning region in x or y units respectively; must be numeric vector of length 2.
xlim, ylim	the limits of the plot
log	a character string which contains "x" if the x axis is to be logarithmic, "y" if the y axis is to be logarithmic and "xy" or "yx" if both axes are to be logarithmic.
shape	the theoretical shape = yheight/xwidth of the plotting. This adapts the form of the hexagons accordingly.
mincnt, maxcnt	fraction of cell area for the lowest and largest count, respectively
colorcut	vector of values covering [0, 1] that determine hexagon color class boundaries and hexagon legend size boundaries. Alternatively, an integer (\leq maxcnt) specifying the number of equispaced colorcut values in [0,1].
colramp	function accepting an integer n as an argument and returning n colors.
trans	a transformation function for the counts such as <code>log10</code>
inv	the inverse transformation function (if trans = <code>log10</code> , inv should for instance be <code>function(x) 10^x</code>).
border	the color of the border of the hexagons. By default it will be the color of the filling
lwd	the width of the border of the hexagons.
cex	the magnification of text.
main	main title.
xlab, ylab	x and y axis labels respectively.
xaxis, yaxis	whether to plot the x and y axes respectively.
xaxs, yaxs	The style of axis interval calculation to be used for the axes. By default the style "r" (regular) first extends the data range by 4 percent at each end and then finds an axis with pretty labels that fits within the extended range. Style "i" (internal) just finds an axis with pretty labels that fits within the original data range.
box	whether to plot a box.
mar	a numerical vector of the form <code>c(bottom, left, top, right)</code> which gives the room the give to the margins in Normalised Parent Coordinates (see <code>grid</code> package for more information)
legend	whether to plot the legend.
leg_sep	the distance between hexagons and text f the legend in Normalised Parent Coordinates left on the right margin
xpd_hex	factor to expand the legend hexagons
xpd_leg	factor to expand the height of the legend
l	a list of arguments to feed to <code>grid::grid.polyline</code> ATTENTION the <code>grid</code> package has to be loaded

g a list of arguments to feed to `grid::grid.polygon` ATTENTION the grid package has to be loaded

t a list of arguments to feed to `grid::grid.text` ATTENTION the grid package has to be loaded

plot whether to plot. If FALSE, returns a grob.

Examples

```
library(grid) # To use the gpar function

set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
      rnorm(n, sd = 0.5)

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)

dec <- extricate(xy, dt, nimf = 7, sifting = 10,
                repl = 10, comb = 10, factor_noise = 10,
                speak = FALSE)

## Not run:
plot_emd(dec, dir = tempdir())
## End(Not run)

integrity(xy, dec)
parsimony(dec)

ht <- inst.pulse(dec, plot = FALSE)

plot_hex(x = 1/ht$f, y = ht$a, bins = 100, ybnds = c(0,2),
         log = "x", trans = log10, inv = function(x) 10^x,
         main = "Spectral Population", xlab = "Period", ylab = "Amplitude")

plot_hex(x = 1/ht$f, y = ht$a, bins = 100, ybnds = c(0,2),
         log = "x", trans = log10, inv = function(x) 10^x,
         main = "Spectral Population", xlab = "Period", ylab = "Amplitude",
         id = ht$mode, select = c(4,6,7),
         l = list(x = c(30, 30, 240, 240), y = unit(c(0,1,0,1), "npc"),
                 id = c(1,1,2,2), gp = gpar(col = c("red", "blue"), lwd = 2)),
         g = list(x = c(18, 50, 50, 18, 18, 50, 50, 18),
                 y = c(0, 0, 1.9, 1.9, 2.05, 2.05, 1.95, 1.95),
                 id = c(1,1,1,1,2,2,2,2),
                 gp = gpar(col = c("red", NA), fill = c(NA, "white"), lwd = 2)),
```

```
t = list(label = "Mode 4", x = 30, y = 2, gp = gpar(col = "red"))
```

plot_hist

Group and/or log-scale histogram

Description

Specialised histogram: allows to work in log-scale (for x) and to distinguish different groups of data

Usage

```
plot_hist(
  x,
  breaks = 100,
  id = NA,
  select = NA,
  pile = TRUE,
  line = FALSE,
  mids = FALSE,
  xlim = NA,
  ylim = NA,
  xlog = FALSE,
  axes = TRUE,
  xa = list(),
  ya = list(),
  main = "",
  xlab = "X",
  ylab = "Counts",
  col = NA,
  border = NA,
  text = FALSE,
  labels = NA,
  t = list(adj = c(0.5, -2), font = 2),
  add = FALSE
)
```

Arguments

x	vector or matrix
breaks	one of: <ul style="list-style-type: none"> • a vector giving the breakpoints between histogram cells, • a function to compute the vector of breakpoints, • a single number giving the number of cells for the histogram, • a character string naming an algorithm to compute the number of cells (see ‘Details’ in hist),

- a function to compute the number of cells.

In the last three cases the number is a suggestion only; as the breakpoints will be set to pretty values, the number is limited to $1e6$ (with a warning if it was larger). If `breaks` is a function, the `x` vector is supplied to it as the only argument (and the number of breaks is only limited by the amount of available memory).

<code>id</code>	a vector of ids for each <code>x</code> value, to separate different groups of data
<code>select</code>	a vector of id values identifying the groups of data to plot and their order
<code>pile</code>	whether to cumulate the different one on the other
<code>line</code>	whether to plot as lines or rectangles
<code>mids</code>	if <code>lines</code> is TRUE, whether the nodes of the lines are the middle positions or the upper corner of the rectangles.
<code>xlim, ylim</code>	the boundaries for the plots. If <code>ylim = NA</code> the upper <code>ylim</code> will be increased by 10% to allow for text (see <code>'text'</code> parameter)
<code>xlog</code>	whether to set the <code>x</code> axis in log scale
<code>axes</code>	whether to plot the axes
<code>xa, ya</code>	list of arguments to feed <code>minorAxis</code> for the <code>x</code> and <code>y</code> axes respectively
<code>main, xlab, ylab</code>	the main title and the labels of the <code>x</code> and <code>y</code> axes
<code>col</code>	a function or a character vector defining the colors of the different modes
<code>border</code>	the colour of the borders, by default identical to <code>col</code>
<code>text</code>	if there are different groups, whether to add a number above each of them to distinguish them
<code>labels</code>	the labels to put on top of each group
<code>t</code>	a list of parameters to feed <code>text()</code>
<code>add</code>	whether to add the plot to a preexisting plot

Examples

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5) + t * 0.01

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)

dec <- extricate(xy, dt, nimf = 7, sifting = 10,
  repl = 10, comb = 10, factor_noise = 10,
  speak = FALSE)
```



```
## Not run:
plot_emd(dec, dir = tempdir())
## End(Not run)

integrity(xy, dec)
parsimony(dec)

ht <- inst.pulse(dec, plot = FALSE)

opar <- par('mfrow')

par(mfrow = c(2,1))

plot_hist(x = 1/ht$f, breaks = 500,
          xlog = TRUE, xlab = "Period")

plot_hist(x = 1/ht$f, breaks = 500, id = ht$mode,
          xlog = TRUE, text = TRUE, add = TRUE, line = TRUE, pile = FALSE)

abline(v = c(p1, p2), col = "red", lwd = 2, lty = 5)

plot_hist(x = 1/ht$f, breaks = 500, id = ht$mode,
          xlog = TRUE, text = TRUE, xlab = "Period")

abline(v = c(p1, p2), col = "red", lwd = 2, lty = 5)

par(mfrow = opar)
```

plot_imf

Plot IMF's characteristics

Description

General plot for the envelope, instantaneous frequency (period) and identity tuning of an intrinsic mode function (IMF)

Usage

```
plot_imf(
  pulse,
  dtlim = NULL,
  xylin = NULL,
  flim = NULL,
  fclim = NULL,
  dtline = NULL,
  fline = NULL,
  fcline = NULL,
  vertical = FALSE,
```

```

n = 10,
at.maj = NULL,
ls = list(type = "o", pch = 19),
le1 = list(lwd = 2),
le2 = list(lty = 2),
lid = list(type = "p", pch = 19),
lcos = list(),
ldt = list(lty = 5, lwd = 2),
lf = list(lty = 5),
lfc = list(lty = 5),
box = TRUE
)

```

Arguments

pulse	a pulse object
dtlim, xylim, flim, fclim	the boundaries for the plots, respectively for the depth/time, amplitude, frequency and frequency carrier
dtline, fline, fcline	coordinates to add vertical/horizontal lines
vertical	whether to have the depth/time [dt] axis vertically
n	the the number of intervals defined by minor ticks (geologist convention) or horizontal (climatologist convention)
at.maj	the positions at which major tick-marks are to be drawn.
ls, le1, le2, lid, lcos	lists of parameters to feed lines, for the original signal, the upper and lower envelope, the identity tuning, and the cosine line in the identity tuning
ldt, lf, lfc	lists of parameters to provide the abline function (makes personalised lines for you to have a better grasp of the data).
box	whether to draw boxes around the plots

Details

the line in the identity tuning plot is a genuine cosine, independent from the signal. This is evident when riding waves generate dephasing.

Examples

```

n <- 600

t <- seq_len(n)

p1 <- 30
p2 <- 40 * 21

am <- sin(t*2*pi/p2 + 50) + 0.03

```

```
xy <- sin(t*2*pi/p1 + 50) * 3 * am
int <- c(rep(1, 99 + 100), seq(1,3,2/100), seq(3,1,-2/100), rep(1,100 + 99))
dt <- cumsum(int)
samp <- approx(dt, xy, xout = seq(1,802, by = 2))
xy <- samp$y
dt <- samp$x
e <- normalise(m = xy, dt = dt)$a
cond <- dt < 75
xy <- xy[!cond]
dt <- (dt[!cond] - 75) / 1.2
e <- e[!cond]
dq <- dq.algorithm(xy/e, dt)
pulse <- as.pulse(dt = dt, m = xy, f = dq$f, a = e, idt = dq$idt,
                 repl = 1)
plot_imf(pulse, fline = 25, dtline = c(222, 489))
```

plot_pulse

Visualise the instantaneous frequencies and amplitudes of a decomposition

Description

Visualise the instantaneous frequencies and amplitudes of a decomposition

Usage

```
plot_pulse(
  pulse,
  style = "b",
  breaks = 500,
  bins = 100,
  cut = 18,
  lines = NULL,
  keep = NULL,
  lose = NULL
)
```

Arguments

pulse	a pulse object (created by <code>inst.pulse</code> or <code>as.pulse</code>)
style	whether to plot the distribution of frequency ('d'), the spectral population ('p') or both ('b', is the default)
breaks, bins, cut	parameter for the plots: breaks is fed to <code>plot_hist</code> , bins is fed to <code>plot_hex</code> , and cut defines the number of color cuts for <code>plot_hex</code> . For better control use <code>plot_hist</code> and <code>plot_hex</code> directly.
lines	the period of lines to be added to the plots for better visualisation
keep, lose	which modes to plot or to not (keep overrides lose)

Examples

```

set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5) + t * 0.01

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)
dec <- extricate(xy, dt, nimf = 7, sifting = 10, repl = 10, comb = 10,
  factor_noise = 10, speak = TRUE)

## Not run:
plot_emd(dec, dir = tempdir())
## End(Not run)

integrity(xy, dec)
parsimony(dec)

ht <- inst.pulse(dec, plot = FALSE)

plot_pulse(ht, lines = c(30, 240))

```

plot_ratio

Visualise the instantaneous frequencies ratios of a decomposition

Description

Visualise the instantaneous frequencies ratios of a decomposition

Usage

```
plot_ratio(
  ratio,
  sqrt.rpwr = TRUE,
  style = "b",
  select = NA,
  bins = 100,
  cut = 18,
  lines = NULL,
  plot = TRUE,
  width = 10,
  height = 10,
  name = "Ratio",
  ext = ".pdf",
  dir = tempdir(),
  track = TRUE,
  openfile = TRUE
)
```

Arguments

ratio	a ratio object (created by <code>inst.ratio</code>)
sqrt.rpwr	whether to use the square root of ratio power (i.e. the square root of the multiplication of the instantaneous amplitudes of the modes two by two) rather than the ratio power itself.
style	whether to plot a single plot in the graphics device ('s'), the to plot an ensemble of all the ratios combinations in a pdf ('e'), or both ('b', is the default)
select	the groups of ratios combinations to plot in the single plot (in the "1/2" form)
bins, cut	parameter for the plots: bins is fed to <code>plot_hex</code> , and cut defines the number of color cuts for <code>plot_hex</code> . For better control use <code>plot_hex</code> directly.
lines	the ratio of lines to be added to the plots for better visualisation
plot	whether to plot. Otherwise output a grob of the single plot.
width, height	the width and height in inches of each separate plot in the ensemble of all the ratios combinations
name, ext, dir, track, openfile	parameters for the pdfDisplay function, namely the name of the pdf file, its extension (if you want to make a .svg file you can), the directory of the file, whether to track the changes (if you use sumatrapdf as a default pdf reader you can set it to F and it will avoid creating too many pdf files), and whether to directly open the file

Examples

```
set.seed(42)

n <- 600
t <- seq_len(n)
```

```

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5) + t * 0.01

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)
dec <- extricate(xy, dt, nimf = 7, sifting = 10,
  repl = 10, comb = 10,
  factor_noise = 10, speak = TRUE)

## Not run:
plot_emd(dec, dir = tempdir())
## End(Not run)

integrity(xy, dec)
parsimony(dec)

ht <- inst.pulse(dec, plot = FALSE)
ratio <- inst.ratio(ht, plot = FALSE)

plot_ratio(ratio, lines = c(8), style = "s")
plot_ratio(ratio, lines = c(8), style = "s", select = c("4/6"))
## Not run:
plot_ratio(ratio, lines = c(8), style = "e", dir = tempdir())
## End(Not run)

```

PrecisionTester

Test numerically determined instantaneous frequency against exact instantaneous frequency

Description

This function compares the performance of [InstantaneousFrequency](#) against signals of known instantaneous frequency. The known signal is of the form

$$x(t) = a \sin(\omega_1 + \varphi_1) + b \sin(\omega_2 + \varphi_2) + c$$

One can create quite complicated signals by choosing the various amplitude, frequency, and phase constants.

Usage

```

PrecisionTester(
  tt = seq(0, 10, by = 0.01),
  method = "arctan",

```

```

lag = 1,
a = 1,
b = 1,
c = 1,
omega.1 = 2 * pi,
omega.2 = 4 * pi,
phi.1 = 0,
phi.2 = pi/6,
plot.signal = TRUE,
plot.instfreq = TRUE,
plot.error = TRUE,
new.device = TRUE,
...
)

```

Arguments

tt	Sample times.
method	How the numeric instantaneous frequency is calculated, see InstantaneousFrequency
lag	Differentiation lag, see the <code>diff</code> function in the base package
a	Amplitude coefficient for the first sinusoid.
b	Amplitude coefficient for the second sinusoid.
c	DC shift
omega.1	Frequency of the first sinusoid.
omega.2	Frequency of the second sinusoid.
phi.1	Phase shift of the first sinusoid.
phi.2	Phase shift of the second sinusoid.
plot.signal	Whether to show the time series.
plot.instfreq	Whether to show the instantaneous frequencies, comparing the numerical and analytical result.
plot.error	Whether to show the difference between the numerical and analytical result.
new.device	Whether to open each plot as a new plot window (defaults to TRUE). However, Sweave doesn't like <code>dev.new()</code> . If you want to use PrecisionTester in Sweave, be sure that <code>new.device = FALSE</code>
...	Plotting parameters

Value

instfreq\$ <code>sig</code>	The time series
instfreq\$ <code>analytic</code>	The exact instantaneous frequency
instfreq\$ <code>numeric</code>	The numerically-derived instantaneous frequency from InstantaneousFrequency

Author(s)

Daniel C. Bowman (in the hht package)

See Also

[InstantaneousFrequency](#)

Examples

```
#Simple signal

tt <- seq(0, 10, by = 0.01)
a <- 1
b <- 0
c <- 0
omega.1 <- 30 * pi
omega.2 <- 0
phi.1 <- 0
phi.2 <- 0

PrecisionTester(tt, method = "arctan", lag = 1, a, b, c,
               omega.1, omega.2, phi.1, phi.2, new.device = FALSE)

#That was nice - what happens if we use the "chain" method...?

PrecisionTester(tt, method = "chain", lag = 1, a, b, c,
               omega.1, omega.2, phi.1, phi.2, new.device = FALSE)

#Big problems! Let's increase the sample rate

tt <- seq(0, 10, by = 0.0005)
PrecisionTester(tt, method = "chain", lag = 1, a, b, c,
               omega.1, omega.2, phi.1, phi.2, new.device = FALSE)

#That's better

#Frequency modulations caused by signal that is not symmetric about 0

tt <- seq(0, 10, by = 0.01)
a <- 1
b <- 0
c <- 0.25
omega.1 <- 2 * pi
omega.2 <- 0
phi.1 <- 0
phi.2 <- 0

PrecisionTester(tt, method = "arctan", lag = 1, a, b, c,
               omega.1, omega.2, phi.1, phi.2, new.device = FALSE)

#Non-uniform sample rate
set.seed(628)
```



```
tt <- sort(runif(500, 0, 10))
a <- 1
b <- 0
c <- 0
omega.1 <- 2 * pi
omega.2 <- 0
phi.1 <- 0
phi.2 <- 0

PrecisionTester(tt, method = "arctan", lag = 1, a, b, c,
                omega.1, omega.2, phi.1, phi.2, new.device = FALSE)
```

ratios	<i>Computes ratios of numerical values</i>
--------	--

Description

Computes ratios of numerical values

Usage

```
ratios(x)
```

Arguments

x values to compute the ratio from

Value

a dataframe of \$ratio, \$x1 and \$x2

Examples

```
ratios(c(20,40,100,400))
```

repl.out	<i>Remove / Bind replicates in emd objects</i>
----------	--

Description

Remove / Bind replicates in emd objects

Usage

```
repl.out(emd, keep = NULL, lose = NULL, reorder = FALSE)
```

```
repl.bind(emd, comb)
```

Arguments

emd	emd-type object
keep, lose	the modes to keep or lose
reorder	whether to reinitialise the index of replicates when suppressing one
comb	the number of replicates that have to be bound together

Examples

```

set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5) + t * 0.01

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)

dec <- extricate(xy, dt, nimf = 7, sifting = 10,
  repl = 20, comb = 2, factor_noise = 10,
  speak = TRUE, output_sifting = TRUE)

reduced <- repl.out(dec, keep = c(3,4))

parsimony(reduced)

plot_emd(reduced, pdf = FALSE, select = c(4,6))

combined <- repl.bind(dec, 10)

parsimony(combined)

plot_emd(combined, pdf = FALSE, select = c(4,6))

```

respace

Interpolate with even spacing

Description

Interpolate with even spacing. Can determine on its own the most conservative sampling interval (using the Greatest Common Rational Divisor)

Usage

```
respace(
  dt,
  xy = NULL,
  delta = NULL,
  tolerance = 8,
  relative = TRUE,
  n.warn = 100
)
```

Arguments

dt	depth/time (same length than length/rows of xy)
xy	signal (vector or matrix)
delta	the new sampling interval. If NULL, uses the Greatest Common Rational Divisor
tolerance, relative	parameters for the divisor function (StratigrapheR package), to compute the Greatest Common Rational Divisor
n.warn	the amount of interpolated points in between the largest interval above which a warning is provided. This warning can be useful to avoid needlessly long outputs, which might make any subsequent computation take too much time.

Value

a list of interpolated xy and dt values (`$xy` and `$dt`), plus a vector of logicals indicating whether each point was part of the initial input or was added by interpolation

Examples

```
set.seed(42)

n <- 50
t <- seq_len(n)

xy <- (1 + 0.6 * sin(t*0.025)) * sin(t*0.2) + 2 * sin(t*0.025) +
      rnorm(n, sd = 0.5)

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5), 1)

dt <- cumsum(inter_dt)

res <- respace(xy = xy, dt = dt)

opar <- par("mfrow")
par(mfrow = c(1,1))

plot(res$xy, res$dt, type = "l")
```

```

points(res$xy[res$initial], res$dt[res$initial], pch = 19, col = "green")
points(res$xy[!res$initial], res$dt[!res$initial],
       pch = 19, col = "red", cex = 0.5)

par(mfrow = opar)

```

simp.emd

Simplifies the components of an EMD

Description

Simplifies the component of an EMD to only extremas and zero-crossings, and outputs problematic extrema: multiple extrema (extrema not separated by zero-crossings) and crossing extrema (extrema at zero).

Usage

```
simp.emd(emd = NULL, m = NULL, dt = NULL, repl = 1, use.names = FALSE)
```

Arguments

emd	emd-type object
m	a matrix of the amplitude values (xy) of the components, each column being a component. Each column should have the same number of non NA values. Vectors, for 1 component, are accepted. Is overridden by emd.
dt	the depth or time value. Is overridden by emd.
repl	the amount of replicates in m. Is overridden by emd.
use.names	whether to use the column names to identify problematic extrema

Value

a list of the depth or time values (\$dt) of the simplified IMF (Intrinsic Mode Function), of their amplitude (\$xy), and of the position and component of problematic multiple extrema (\$multiple_extrema) and crossing extrema (\$crossing_extrema)

Examples

```

xytest <- c(0.5, 1,-1,-0.85,-0.5,-1,-0.5,-1,1,0.5,0,0,
           1,-1,0,1,2,-2,1,2,1,3,0,-1,-1,3,0)

repeatafterme <- 2

m <- matrix(rep(xytest,repeatafterme), ncol = repeatafterme)
dt <- 1:length(xytest)

res <- simp.emd(m = m, dt = dt, repl = repeatafterme)

```

```

opar <- par("mfrow")

par(mfrow = c(1,1))

plot(dt, xytest, type = "o", pch = 19)
abline(h = 0, col = "grey")

me <- res$multiple_extrema$dt[res$multiple_extrema$repl == 1]
ce <- res$crossing_extrema$dt[res$multiple_extrema$repl == 1]

abline(v = me, col = "orange")
abline(v = ce, col = "darkred")

points(res$dt[,1], res$xy[,1], col = "red", pch = 19)

par(mfrow = opar)

```

simple.ssa

Simple SSA decomposition

Description

Simple wrapper for Singular Spectrum Analysis, using the functions of the Rssa package (which is not installed by default by the DecomposeR package, you should install it independently). This function allows unevenly sampled data.

Usage

```
simple.ssa(xy, dt, n = 10, remove = "trend", groups = list(), plot = T, ...)
```

Arguments

xy	signal to be decomposed
dt	depth/time
n	maximum amount of components
remove	whether to remove a linear trend ("trend", is the default), a mean value ("mean"), or to decompose as is (any other value)
groups	which components to regroup (list of the indices of elementary components to be regrouped, the entries of the list can be named, see the reconstruct() function in the Rssa package for more information)
plot	whether to show a visualisation of the importance of each component
...	any arguments to be given to the ssa() function (see Rssa package for more information)

Value

a list made of \$xy (original signal), \$dt (depth/time), \$m (a matrix of the decomposition), \$repl (the replicate id of each point) and \$mode (the mode id of each point).

Examples

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5) + 0.01 * t

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)

res <- simple.ssa(xy, dt, groups = list(c(1,2), c= 3:10))

parsimony(res)

integrity(xy, res)

## Not run:
plot_emd(res, style = 1)
## End(Not run)
```

 symmetry

Symmetry of components

Description

The function returns the highest factor of amplitude either in negative or positive values. This quantifies the symmetry of components.

Usage

```
symmetry(xy, names = "num")
```

Arguments

xy	signal (vector or matrix)
names	the names to use for the resulting vector. If NULL no names are provided, if NA its the names of the columns of the xy matrix, if "num" it the column index of the matrix xy

Examples

```
set.seed(42)

n <- 600
t <- seq_len(n)

p1 <- 30
p2 <- 240

xy <- (1 + 0.6 * sin(t*2*pi/p2)) * sin(t*2*pi/p1) + 2 * sin(t*2*pi/p2) +
  rnorm(n, sd = 0.5) + t * 0.01

inter_dt <- round(runif(length(xy), min = 0.5, max = 1.5),1)

dt <- cumsum(inter_dt)

dec <- extricate(xy, dt, nimf = 7, sifting = 10,
  repl = 1, comb = 40, factor_noise = 10,
  speak = TRUE, output_sifting = TRUE)

symmetry(dec$m)

plot_emd(dec, select = c(6,8,9), pdf = FALSE, adapt.axis = TRUE)
```

Index

ace (DecomposeR.Datasets), 10
approx.cor, 3
as.emd, 4, 7
as.pulse, 6, 52

check.emd, 7
cip1 (DecomposeR.Datasets), 10
cip1_input (DecomposeR.Datasets), 10
cip1_raw (DecomposeR.Datasets), 10
cip2 (DecomposeR.Datasets), 10
cip3 (DecomposeR.Datasets), 10
condense, 8

DecomposeR, 9
DecomposeR.Datasets, 10
dq.algorithm, 11

extremist, 12, 32
extricate, 13

gzc, 16, 19
gzc.algorithm, 16, 17, 18
gzc.departure, 19

HilbertEnvelope, 21, 22
HilbertTransform, 21, 22, 27
hist, 47

inst.pulse, 23, 52
inst.ratio, 25, 53
InstantaneousFrequency, 21, 22, 27, 54–56
integrity, 28
is.emd (as.emd), 4
is.pulse (as.pulse), 6
is.ratio, 29
is.simp.emd, 30

La04_ecc_6_8 (DecomposeR.Datasets), 10
La04_obl_6_8 (DecomposeR.Datasets), 10
La04_pre_0_20 (DecomposeR.Datasets), 10

La04_pre_obl_5_9 (DecomposeR.Datasets), 10
log10, 45

mode.bind (mode.in), 30
mode.in, 30
mode.out (mode.in), 30

n.extrema, 32
normalise, 33
normalize (normalise), 33

oscillate, 35

parsimony, 36
pdfDisplay, 26
pile.down, 38
pile.up, 38, 39
plot_emd, 41
plot_hex, 24, 43, 52, 53
plot_hist, 24, 47, 52
plot_imf, 49
plot_pulse, 51
plot_ratio, 26, 52
PrecisionTester, 27, 54

ratios, 57
repl.bind (repl.out), 57
repl.out, 57
respace, 24, 58
runif, 15

sc97amp (DecomposeR.Datasets), 10
simp.emd, 60
simple.ssa, 61
symmetry, 62

w17 (DecomposeR.Datasets), 10

z13 (DecomposeR.Datasets), 10
z13amp (DecomposeR.Datasets), 10