

Package ‘RClickhouse’

February 26, 2025

Type Package

Title 'Yandex Clickhouse' Interface for R with Basic 'dplyr' Support

Version 0.6.10

Encoding UTF-8

Description 'Yandex Clickhouse' (<<https://clickhouse.com/>>) is a high-performance relational column-store database to enable big data exploration and 'analytics' scaling to petabytes of data. Methods are provided that enable working with 'Yandex Clickhouse' databases via 'DBI' methods and using 'dplyr'/'dbplyr' idioms.

License GPL-2

Imports dplyr (>= 1.1.0), dbplyr (>= 2.0.0), methods (>= 3.3.2), DBI (>= 1.0.0), Rcpp (>= 0.11.0), bit64, cli

RoxygenNote 7.3.2

NeedsCompilation yes

Depends R (>= 3.6.2)

Suggests testthat

Collate 'RcppExports.R' 'RClickhouse.R' 'ClickhouseDriver.R'
'ClickhouseConnection.R' 'ClickhouseResult.R'
'dbplyr-helpers.R' 'dplyr.R' 'zzz.R'

URL <https://github.com/IMSMWU/RClickhouse>

BugReports <https://github.com/IMSMWU/RClickhouse/issues>

LinkingTo Rcpp

Author Christian Hotz-Behofsits [aut, cre],
Daniel Winkler [aut],
Luca Rauchenberger [aut],
Peter Knaus [aut],
Clemens Danninger [aut],
Daria Yudaeva [aut],
Simon Stiebellehner [aut],
Dan Egnor [aut],
Vlad Losev [aut],

Keith Ray [aut],
 Zhanyong Wan [aut],
 Markus Heule [aut],
 Oliver Flasch [aut],
 Google [cph],
 Yann Collet [cph, aut] (Yann Collet is the author and copyright holder
 of 'lz4')

Maintainer Christian Hotz-Behofsits <christian.hotz-behofsits@wu.ac.at>

Repository CRAN

Date/Publication 2025-02-26 12:40:12 UTC

Contents

dbplyr_case_sensitive	2
fix_dbplyr	3
RClickhouse	3
sql_aggregate	4
Index	5

dbplyr_case_sensitive *Get dbplyr to work with Clickhouse*

Description

Functions passed to Clickhouse are case sensitive. By default dbplyr converts functions that are not predefined to upper case. This function changes that behavior to leave passed functions as they are.

Usage

```
dbplyr_case_sensitive()
```

Value

No return value, called for side effects.

fix_dbplyr	<i>Return to dbplyrs original behavior</i>
------------	--

Description

Since Clickhouse functions are case sensitive dbplyr behavior was altered to reflect that. This function will set dbplyr back to its original state of converting unknown functions to upper case.

Usage

```
fix_dbplyr()
```

Value

No return value, called for side effects.

RClickhouse	<i>RClickhouse</i>
-------------	--------------------

Description

provides access to a clickhouse database

Author(s)

Maintainer: Christian Hotz-Behofsits <christian.hotz-behofsits@wu.ac.at>

Authors:

- Daniel Winkler <daniel.winkler@wu.ac.at>
- Luca Rauchenberger <luca.rauchenberger@wu.ac.at>
- Peter Knaus <peter.knaus@wu.ac.at>
- Clemens Danninger <cran@b8000h.org>
- Daria Yudaeva <daria.yudaeva@wu.ac.at>
- Simon Stiebellehner <simon.stiebellehner@gmail.com>
- Dan Egnor
- Vlad Losev <vladl@google.com>
- Keith Ray <keith.ray@gmail.com>
- Zhanyong Wan <wan@google.com>
- Markus Heule <mheule@google.com>
- Oliver Flasch <oflasch@gmail.com>
- Yann Collet (Yann Collet is the author and copyright holder of 'lz4') [copyright holder]

Other contributors:

- Google [copyright holder]

See Also

Useful links:

- <https://github.com/IMSMWU/RClickhouse>
- Report bugs at <https://github.com/IMSMWU/RClickhouse/issues>

sql_aggregate

adapted from dbplyr

Description

adapted from dbplyr

adapted from dbplyr

Usage

sql_aggregate(f)

sql_aggregate_2(f)

Arguments

f SQL function name

Index

`dbplyr_case_sensitive`, [2](#)

`fix_dbplyr`, [3](#)

`RClickhouse`, [3](#)

`RClickhouse-package (RClickhouse)`, [3](#)

`sql_aggregate`, [4](#)

`sql_aggregate_2 (sql_aggregate)`, [4](#)